

T3S-RAW, 2nd Mer.

	73	73	73	73	73	73						
74	6	73	5	72	4	72	3	71	2	71	1	52
	70	70=72	70=72	70=71	70=71	70=71	71					
51	7	70	8	69	9	69	10	68	11	67	12	52
	66	67=69	67=69	67=68	67=68	67=68	67					
51	18	66	19	66	16	66	15	65	14	65	13	52
	64	64=66	64=66	64=65	64=65	64=65	64					
51	19	63	20	63	21	63	22	62	23	62	24	53
	61	61=63	61=63	61=63	61=63	62	62					
51	30	61	29	59	28	59	27	58	26	57	25	53
	60	60	59	58	57	56						
52	31	60	32	59	33	58	34	57	35	56	36	53
	54=56	54=56	54=55	54=55	54=55	54=55	54					

T4S-RAW, 2nd Mer.

	6	79	5	78	4	77	3	76	2	75	1	75
	91=79	79	78	77	76	76						
	7	8	9	10	11	12						
	92	91	88	85=79	79	80						
	18	17	16	15	14	13						
	93	92	88	86	83	81						
	19	20	21	22	23	24						
	93	93	89	89	84	81						
	30	29	28	27	26	25						
	94	94	90	87	85	82						
	31	32	33	34	35	36						
	445	448	444	444	443	443						

51

Township N. 3. South of Range N. 4. West of the 2nd. Mer.

West Boundary.

For the W. boundary of Sec. 6. See page 174 Wednesday Nov 14th. 1864.

South Range line between Ranges 4. & 5. West Boundary of Sec. 7. in T. 3. S. R. 4. W. from a post in creek 65 lks. wide. Course N. 10. W. set by Sanford.

40. 00 Set half mile post from which a Gum 7. in? diam? bears N. 15. E. 23. lks. dist & a Gum 10. in? diam? bears S. 38. E. 17. lks. dist.

47. 00 A Gum 17. in? diam?

80. 00 A B. Oak stands for post Corner of Sec. 12. & 13. in Town 3. R. 5. from which a B. Oak 9. in? diam? bears S. 35. E. 45. lks. dist. & a B. Oak 10. in? diam? bears N. 5. E. 16. lks. dist.
This mile is low flat and good soil; Oak timber.

South Range line on West Boundary of Sec. 18. in T. 3. S. R. 4. W.

40. 00 Set half mile post from which a B. Oak 9. in? diam? bears S. 80 E. 26. lks. dist & a B. Oak 8. in? diam? bears N. 72. W. 17. lks. dist.

80. 00 Set post Corner of Sec. 13. & 24. in R. 5. from which a Hickory 13. in? diam? bears S. 5. E. 20. lks. dist. & a Sassafras 7. in? diam? bears N. 32. W. 19. lks. dist. Low land - No Oak timber

South Range line W. Boundary of Sec. 19. T. 3. S. R. 4. W.

40. 00 Set half mile post from which a B. Oak 5. in? diam? bears N. 34. E. 18. lks. dist. & a Sassafras 7. in? diam? bears N. 10. E. 20. lks. dist.

80. 00 Set post Corner of Sec. 24. 25. in R. 5. from which a B. Oak 10. in? diam? bears N. 20. W. 44. lks. dist. & a B. Oak 17. in? diam? bears S. 4. W. 46. lks. dist.

Flat land; good soil. No Oak timber

South Range line. W. Boundary of Sec. 30. in R. 4. T. 3. S.

40. 00 Set half mile post from which a No Oak 20. in? diam? bears N. 7. E. 19. lks. dist. & a No Oak 27. in? diam? bears S. 80. W. 11. lks. dist.

80. 00 Set post Corner of Sec. 25. 26. T. 3. S. R. 4. W. from which a No Oak 17. in? diam? bears S. 17. E. 34. lks. dist. & a No Oak 20. in? diam? bears N. 4. W. 56. lks. dist.

T. N. 3. S. R. N. 4. W. 2.nd Mer.

Thin soil; Oak timber; thickets of Briers.

- South Range line N. Boundary of Sec. 31. in R. 4. T. 3. S.
 32. 00 A Stream 20. lks. wide, course N. & W.
 40. 00 Set half mile post from which a B. Oak 17. in. diam.
 bears N. 47. E. 16. links. & a B. Oak 16. in. diam. bears S.
 57. N. 5. links dist.
 50. 00 Set post Corner of Townships 3. & 4. in R. 4. & 5. S.
 from which a W. Oak 30. in. diam. bears N. 7. links. & a
 W. Oak 16. in. diam. bears S. 76. E. 17. lks. dist.
 Level land; good soil; & W. Oak timber.

East Boundary

Tuesday Nov. 15.th. 18. 64.

- South Range line East Boundary of Sec. 1. in T. 3. S. R. 4. W.
 27. 00 A W. Oak 16. in. diam.
 40. 00 Set half mile post from which a W. Oak 19. in. diam.
 bears N. 44. E. 16. lks. dist. & a Gum 15. in. diam. bears
 S. 68. W. 39. lks. dist.
 80. 00 Set post Corner of Sec. 1. & 12. T. 3. where a W. Oak 11. in.
 diam. bears N. 37. W. 4. links dist. & a B. Oak 12. in. diam.
 bears N. 70. E. 41. lks. dist. — This mile is steep hills. thin
 soil; W. Oak timber; no undergrowth.

- South Range line East Boundary of Sec. 12. T. 3. S. R. 4. W.
 37. 20 A B. Oak 17. in. diam.
 40. 00 Set half Sec. post from which a W. Oak 7. in. diam. bears
 S. 35. E. 28. lks. dist. & a W. Oak 17. in. diam. bears N. 71.
 W. 31. lks. dist.
 50. 00 Set post Corner of Sec. 12. & 13. from which a Hickory
 7. in. diam. bears S. 55. E. 4. lks. dist. & a Gum 9. in.
 diam. bears N. 54. W. 14. lks. dist. — Good upland
 Timber, Beech, Oak, Hickory, &c. no undergrowth.

- South Range line E. Boundary of Sec. 13. Town 3. Range 4. S.
 25. 70 A B. Oak 16. in. diam.
 40. 00 Set half mile post from which a W. Oak 20. in. diam. bears

T. N. 3. S. R. N. 4. W. 2. nd Mer.

70. 00 S. 30. W. 13. links. dist. to a M. Oak 27. in. diam. bears N. 16. E. 39. lks.
 80. 00 A M. Oak 24. in. diam.
 Get post Corner of Sec. 13. & 24. where a B. Oak 7. in. diam. bears S. 55. W. 5. links. & a B. Oak 9. in. diam. bears N. 4. E. 12. links. dist.
 This mile is broken land. Thin soil; Oak timber, generally.

- South Range line E. Boundary of Sec. 24. T. 3. R. 4. S.
 15. 50 A Stream 10. links wide, Course E.
 37. 56 A B. Oak 17. in. diam.
 40. 00 Get half mile post from which a M. Oak 16. in. diam. bears N. 88. E. 31. lks. dist. & a 15. in. diam. bears S. 70. W. 30. lks. dist.
 44. 75 A Stream 18. lks. wide, Course E.
 80. 00 Get post Corner of Sec. 24. & 25. from which a B. Oak 29. in. diam. bears S. 40. E. 5. lks. dist. & a Poplar 30. in. diam. bears N. 27. W. 50. lks. dist.
 This mile is broken land; thin soil; generally Oak timber.

- South Range line E. Boundary of Sec. 25. T. 3. R. 4. W.
 40. 00 Get half mile post from which a Logwood 5 in. diam. bears S. 18. E. 2. lks. dist. & a M. Oak 7. in. diam. bears N. 9. E. 4. lks. dist.
 66. 46 A M. Oak 16 in. diam.
 80. 00 Get post Corner of Sec. 25. & 36. from which a Logwood 7. in. diam. bears S. 2. E. 24. lks. dist. & a M. Oak 17. in. diam. bears N. 27. E. 17. links dist. This mile is rough steep hills
 Timber, Oak, Hickory, Gum &c.

- South Range line E. Boundary of Sec. 36. T. 3. R. 4. W.
 38. 17 A B. Oak 27. in. diam.
 40. 00 Get half mile post from which a M. Oak 17. in. diam. bears S. 76. E. 16. lks. dist. & a Birch 12 in. diam. bears N. 84. W. 31. lks. dist.
 80. 00 Get post Corner of Towns 3. & 4. in Ranges. 3 & 4. Corner of Sec. 1. & 6. 31. & 36. from which a M. Oak 15. in. diam. bears S. 40. E. 19. lks. dist. & a Sugar tree 6 in. diam. bears N. 24. W. 5. lks.
 This mile is broken land, rich soil; Oak, Birch & Sugar tree timber.

T. 3. S. R. 4. W. 2nd Mer.

West	On Town line between Towns 3 & 4. and Sec ² 36 & 1. Ransom line.
80. 00	Get mile post.
West	Between Towns 3 & 4. Sec ² 35 & 2. R. 4. S. Ransom line.
80. 00	Get 2 nd . Mile post.
West	Between Towns 2 & 3. R. 4. S. & Sec ² 34 & 3. Range line
80. 00	Get 3 rd . mile post.
West	Between Towns 3 & 4. Sec ² 33 & 4. R. 4. S. Ransom line
80. 00	Get 4 th Mile post.
West	On Town line between Towns 3 & 4. Range 4. S. between Sec ² 32 & 5. Ransom line
80. 00	Get 5 th Mile post.
West	Between Towns 3 & 4. R. 4. S. between Sec ² 31 & 6. Ransom line
86. 20	Intersected N. Range line 50. lks. S. of the post. Corner of the Townships 3. & 4 in Range 4. & 5.
East	Corrected by offsets and blazed Town line to Corner of Towns 3. & 4. in Ranges 4. & 5. South.
West	Measured on Town line between Sec ² 1 & 36. T. 3. & 4. R. 4. S.
40. 00	Get half mile post from which a Birch 10. in? diam? bears N. 12. W. 20. lks. dist. & a Birch 16. in? diam? bears S. 18. E. 18. lks.
46. 10	A Stream 20. lks. wide, course S. 30. E.
80. 00	Get post corner of Sec ² 35 & 36. from which a Birch 10. in? diam? bears S. 8. E. 28. lks. dist. & a Hickory 12 in? diam? bears N. 30. W. 38. lks. dist. - This mile is broken land. 6 chain Bottom on creek. - Timber, Oak, Ash, Hickory, &c.
North	Between Sec ² 35 & 36. T. 3. S. R. 4. W.

J. N. 3. G. R. N. 4. W. 2. nd Mer.

22. 55 A W Oak 15 in. diam.
 27. 00 A Stream 17 lbs. wide; Course G. 45. E.
 40. 00 Set half mile post from which a W Oak 7 in. diam. bears
 G. 68. W. 9 lbs. dist. & a B Oak 8 in. diam. bears N. 68. E.
 7 lbs. dist.
 80. 00 Set post Corner of Sec. 25. 26. & 35. 36. from which a
 Poplar 10 in. diam. bears G. 35. E. 18 links dist. & a Poplar
 9 in. diam. bears G. 70. W. 26 lbs. dist. - This mile is good
 land, Timber, Birch, Oak, Gum &c. Spicebush undergrowth.

Sunday, Nov. 17th 1804.

- East Hand line between Sec. 25. & 36. T. 3. S. R. 4. W.
 80. 00 Intersected at G. line at post Corner of Sec. 25. & 36. on E. Range line

- West On Town line between T. 3. S. & 4. R. 4. G. between Sec. 2. & 35.
 40. 00 Set half mile post from which a B Oak 17 in. diam. bears
 N. 2. W. 10 lbs. dist. & a B Oak 12 in. diam. bears G. 60. E. 20 lbs. dist.
 80. 00 Set post Corner of Sec. 34. & 35. in T. 3. S. R. 4. W. from
 which a B Oak 12 in. diam. bears G. 60. E. 16 lbs. dist. & a
 B Oak 10 in. diam. bears N. 73. W. 20 links. dist.
 This mile is good upland, generally Oak timber.

- West On Town line between Towns 3 & 4. R. 4. G. Sec. 3. & 34.
 40. 00 Set half mile post from which a Hickory 12 in. diam. bears
 G. 20. W. 30 lbs. dist. & a B Oak 18 in. diam. bears N. 30. E. 46 lbs.
 80. 00 Set post Corner of Sec. 33. & 34 from which a B Oak 12
 in. diam. bears N. 30. E. 13 lbs. dist. & a B Oak 10 in. diam.
 bears G. 5. W. 15 lbs. dist. - This mile is thin soil; mostly
 Oak timber, Hickory undergrowth.

Monday Nov. 18th 1804.

- West On Town line between Towns 2 & 3. Sec. 4 and 33.
 40. 00 Set half mile post from which a W Oak 13 in. diam. bears
 G. 60. E. 16 lbs. dist. & a B Oak 16 in. diam. bears N. 50. W. 12 lbs. dist.
 80. 00 Set post Corner of Sec. 32. & 33. T. 3. S. R. 4. W. 4 & 5. from
 which a B Oak 20 in. diam. bears N. 45. W. 20 lbs. dist.

T. N. 3. S. R. N. 4. W. 2.nd Mer.

At a B. Oak 17. in? diam? bears S 40. E. 18. lks. dist.
This mile is level land; thin soil; Oak timber.

West On Town line between Sec? 5. & 32. Towns 3. & 4. R. 4. S.
40. 00 Get half mile post from which a B. Oak 12. in? diam? bears
N. 80. E. 60. lks. dist? & D. 10. in? diam? bears S. 60. W. 52. lks. dist?
80. 00 Get post Corner of Sec? 5. 6. 31. & 32. from which a
B. Oak 17. in? diam? bears N. 8. E. 18. lks. dist? & a B. Oak
18. in? diam? bears S. 9. W. 26. lks. dist.
This mile is broken land. thin soil; generally Oak timber.

West On Town line between Sec? 6 & 31. T. 3 & 4 R. 4. S.
40. 00 Get post from which a B. Oak 18. in? diam? bears N. 80.
E. 11. lks. dist? & a B. Oak 10. in? diam? bears S. 60. W. 12. lks. dist?
80. 20 Intersected West Range line at post Corner of Sec? 6. 31.
36. 1. T. 3. and 4 in Ranges 4 & 5. - This mile is
broken land. thin soil; Oak timber. - Oak & Hickory undergrowth.

Subdivisions.

North Between Sec? 35. & 36. T. 3. S. R. 4. W.
22. 55 A M. Oak 15. in? diam?
27. 00 A Stream 17. lks. wide; Course S. 45. E.
40. 00 Get half mile post from which a M. Oak 7. in? diam? bears
S. 68. W. 9. lks. dist? & a B. Oak 5. in? diam? bears N. 68.
E. 7. lks. dist.
80. 00 Get post Corner of Sec? 25. 26. 35 36. from which a
Poplar 10. in? diam? bears S. 35. E. 18. lks. dist? & a Poplar 9.
in? diam? bears S. 70. W. 26. lks. dist? - This mile is good
land. Timber. Birch, Oak & Gum. Spicebush undergrowth.

Sunday Nov. 17.th 1864.

East Random line between Sec? 25. & 36. T. 3. S. R. 4. W.
80. 00 Intersected N. & S. line at post Corner of Sec? 25. and
36. on East Range line.

West Between Sec? 25. & 36. T. 3. S. R. 4. W. 2.nd Mer.

T. N. 3. S. R. N. 4. W. 2. nd Mer

23, 00	A Stream 10. lks. wide, Course S.
40, 00	Get half mile post from which a B. Oak 5. in. diam. bears N. 42. E. 18. lks. dist. & a B. Oak 7. in. diam. bears S. 24. W. 24. links dist.
80, 00	Intersecting A. & G. line at post Corner of Sec. 25. 26. 35. & 36. This mile broken land, thin soil; mostly Oak timber
North	Between Sec. 25, & 26. T. 3. S. R. 4. W.
40, 00	Get half mile post from which a W. Oak 12. in. diam. bears S. 70. E. 16. lks. dist. & a W. Oak 10. in. diam. bears N. 60. W. 26. lks. dist.
48, 60	A Stream 8. lks. wide, Course E.
56, 70	A Stream 10. lks. wide, Course S. 60. E.
80, 00	Get post Corner of Sec. 23. 24. 25. & 26. from which a W. Oak 12. in. diam. bears S. 80. E. 18. lks. dist. & a B. Oak 16. in. diam. bears N. 60. W. 20. lks. dist. This mile is good upland - Timber. Oak. Birch &c. Spice bush undergrowth.
North	Between Sec. 34. & 35. T. 3. S. R. 4. W.
14, 00	A W. Oak 20. in. diam.
40, 00	Get half mile post from which a Dogwood 5. in. diam. bears N. 75. E. 16. links dist. & a W. Oak 17. in. diam. bears S. 75. W. 36. lks. dist.
64, 00	A Stream 15. lks. wide, Course S. 40. E.
80, 00	Get post Corner of Sec. 26. 27. 34. & 35. from which a B. Oak 13. in. diam. bears N. 55. W. 36. lks. dist. and a Hickory 12. in. diam. bears S. 18. E. 23. lks. dist. This mile is good upland. Timber. Birch. Oak. Hickory &c.
East	Random between Sec. 26. & 35. T. 3. S. R. 4. W. Random line
80, 00	Intersecting A. & G. line at post Corner of Sec. 25. 26. 35. & 36.
West.	Between Sec. 26. & 35. T. 3. S. R. 4. W.
40, 00	Get half mile post from which a B. Oak 9. in. diam.

T. 3. S. R. 4. W. 2. Mer.

	bears S. 56. W. 26. lks. dist. & a Mr. Oak 17. in. diam. bears N. 63. W. 23. lks. dist.
73. 00	A Stream 7. lks. wide, Course S. 20. E.
80. 00	Intersected N. & S. line at post Corner of Sec. 26. 27. 34. 35. This mile is generally broken land; thin soil. Oak timber.
North	Between Sec. 26. & 27. T. 3. S. R. 4. W.
3. 70	A Mr. Oak 16. in. diam.
40. 00	Set half mile post from which a Hickory 7. in. diam. bears N. 19. E. 18. lks. dist. & a S. 9. in. diam. bears S. 23. W. 24. lks. dist.
80. 00	Set post Corner of Sec. 22. 23. 26. & 27. from which a Mr. Oak 11. in. diam. bears N. 50. E. 10. lks. & a Hickory 9. in. diam. bears N. 72. W. 16. lks. dist. Broken land thin soil; Oak & Hickory timber, no undergrowth.
North	Between Sec. 33. & 34. T. 3. S. R. 4. W.
41. 00	A Hickory 18. in. diam.
40. 00	Set half mile post from which a Dogwood 5. in. diam. bears N. 72 E. 12. lks. dist. & a B. Oak 11. in. diam. bears N. 55. W. 11. lks. dist.
54. 00	A Hickory 16. in. diam.
80. 00	Set post Corner of Sec. 27. 28. 33. & 34. from which a B. Oak 30. in. diam. bears N. 75. W. 22. lks. dist. & a Mr. Oak 20. in. diam. bears S. 7. E. 31. lks. dist. Good upland. generally Mr. Oak timber.
East	Between Sec. 27. & 34. T. 3. S. R. 4. W.
80. 00	Intersected N. & S. line at post. corner of Sec. 26. 27. 33. & 34.
West	Between Sec. 27. & 34. T. 3. S. R. 4. W.
40. 00	Set post from which a B. Oak 17. in. diam. bears S. 85. E. 27. lks. dist. & a B. Oak 18. in. diam. bears S. 77. W. 44. links dist.
80. 00	Intersected N. & S. line at post Corner of Sec. 27. 28. 33. & 34. This mile is broken land; thin soil; Oak timber

North	Between Sec? 27. and 28. T. 3. S. R. 4. W.
17. 00	A B. Oak 10. in? diam?
40. 00	Get half mile post from which a B. Oak 17. in? diam? bears S. 85. E. 27. lks dist? & a B. Oak 18. in? diam? bears N 80. W. 46. lks. dist
61. 00	A B. Oak 20. in? diam?
80. 00	Get post Corner of Sec? 21. 22. 27. & 28. from which a B. Oak 17. in? diam? bears N. 63. E. 24. lks. dist? & a B. Oak 18 in? diam? bears S. 27. W 36. lks. dist? This mile is good upland. W. Oak timber
North	Between Sec? 32. & 33. T. 3. S. R. 4. W.
17. 00	A B. Oak 20. in? diam?
40. 00	Get half mile post from which a W. Oak 9. in? diam? bears N. 24. W. 13. links dist? & a B. Oak 17. in? diam? bears S. 7. W. 26. lks. dist?
80. 00	Get post Corner of Sec? 28. 29. 32. & 33. from which a W. Oak 7. in? diam? bears S. 66. W. 11. lks. dist? & a W. Oak 11. in? diam? bears S. 75. E. 14. lks. dist? This mile is thin soil; Oak timber; Oak, Hickory & Hazle bush undergrowth.
East	Between Sec? 28. & 33. T. 3. S. R. 4. W. Random line.
81. 15	Intersected N. & S. line 30. links S. of post Corner of Sec? 28. & 33. 27. & 34.
North	Between Sec? 28. and 33. T. 3. S. R. 4. W.
40. 57	Get half mile post from which a W. Oak 10. in? diam? bears N. 12. E. 18. links dist? & a B. Oak 13. in? diam? bears S. 10. W. 26. lks. dist?
81. 15	Intersected N. & S. line at post Corner of Sec? 28. 29. 32. & 33. This mile is generally level land, thin soil; Oak timber
North	Between Sec? 28. & 29. T. 3. S. R. 4. W.
40. 00	Get half mile post from which a W. Oak 7. in? diam? bears N. 32. E. 80. links. dist? & a W. Oak 10. in? diam?

T. No 3. S. R. No 4 1/12 L. Mer.

80. 00	<p>hears S. 20. W. 60. lks. dist.</p> <p>Set post corner of Sec. 20. 21. 28. & 29. in a thicket of briars & brush; no timber to be found in sight.</p> <p>This mile is level land; thin soil; first half some Oak timber; last half mile. thickets of briars & hick last &c.</p>
North	Between Sec. 31. & 32. T. 3. S. R. 4. W.
7. 00	A B. Oak 20. in. diam.?
40. 00	Set half mile post from which a Swamp Maple 92. in. diam. hears S. 82. W. 9. lks. dist. & a W. Oak 16. in. diam. hears E. 72. S. 9. lks. dist.
80. 00	Set post corner of Sec. 29. 30. 31. & 32. from which a W. Oak 20. in. diam. hears S. 37. W. 36. lks. dist. & a Gum 7. in. diam. hears N. 25. E. 30. lks. dist.
	This mile is low sloughy land, mostly W. Oak timber.
East	Between Sec. 29. & 32. T. 3. S. R. 4. W.
	Random line.
80. 00	Intersected N. & S. line 30. lks. N. of post corner of Sec. 28. 29. 32. & 33.
West	Between Sec. 29. & 32. T. 3. S. R. 4. W.
40. 00	Set half mile post from which a W. Oak 7. in. diam. hears S. 4. E. 14. lks. dist. & a Maple 8. in. diam. hears N. 61. W. 21. lks. dist.
80. 00	Intersected N. & S. line at post corner of Sec. 29. 30. 31. & 32. - This mile is broken land, Oak timber;
Tuesday Nov. 19. 1804.	
West	Between Sec. 30. & 31. T. 3. S. R. 4. W.
36. 00	A Stream 20. lks. wide, course N.
40. 00	Set half mile post from which a W. Oak 10. in. diam. hears S. 48. E. 6. lks. dist. & a B. Oak 12. in. diam. hears N. 3. W. 6. lks. dist.
80. 00	Intersected N. & S. line 4. lks. S. of post corner of Sec. 25. & 36. in Town 3. in Range 5. Set post from which

	<p>a Mr. Oak 17. in? diam? bears N. 76. E. 26. lks. dist. & a Mr. Oak 16. in? diam? bears S. 45. W. 41. lks. dist.</p> <p>This mile is good upland; Oak timber.</p>
North	Between Sec? 29. & 30. T. 3. S. R. 4. W?
20. 00	A Stream 20. lks. wide. Course N.
40. 00	Set half mile post from which a B. Oak 7. in? diam? bears N. 62. W. 7. lks. dist. & a Mr. Oak 10. in? diam? bears N. 8. E. 9. lks. dist.
59. 00	A Mr. Oak 25. in? diam?
80. 00	Set post corner of Sec? 19. 20. 29. 30. from which a Mr. Oak 12. in? diam? bears N. 33. E. 11. lks. dist. & a Hickory 6. in? diam? bears S. 22. W. 8. lks. dist. This mile is level good upland; Timber, Oak, Gum, Ash, Hickory &c.
West	Between Sec? 19. & 30. T. 3. S. R. 4. W?
40. 00	Set half mile post from which a Mr. Oak 18. in? diam? bears S. 45. E. 4. lks. dist. & a Mr. Oak 12. in? diam? bears N. 70. W. 7. lks. dist.
42.	A Stream 50. lks. wide. Course N.
85. 50	Intersecting Mr. Range line 27. lks. N. of post corner of Sec? 24. & 25. in Range 5. Set post corner of Sec? 19. & 30. from which a B. Oak 10. in? diam? bears S. 68. E. 18. lks. dist. & a Sassafras 8. in? diam? bears N. 25. E. 8. lks. dist. This mile is level good land; Timber. Mr. Oak, Hickory, Gum, &c.
East	Between Sec? 20. & 29. T. 3. S. R. 4. W. Random line.
80. 00	Intersecting N. & S. line 50. links S. of post corner of Sec? 20. 21. 28. & 29.
East	Between Sec? 21. & 28. T. 3. S. R. 4. W. Random line.
80. 00	Intersecting N. & S. line 18. links S. of post corner of Sec? 21. 22. 27. & 28.
East	Between Sec? 22. & 27. T. 3. S. R. 4. W. Random line.
81. 00	Intersecting N. & S. line at post corner of Sec? 22. 23. 26. & 27.

T. No 3. S. R. No 4. W. 2. nd Mer.Wednesday Nov 26th 1804

East Between Sec? 23. & 26. T. 3. S. R. 4. W. Random line
 30. 00 Intersected N. & S. line at post Corner of Sec? 23. 24 25. 26.

East Between Sec? 24. & 25. T. 3. S. R. 4. W. Random line.
 30. 00 Intersected N. & S. line at post Corner of Sec? 24. &
 25. on East Range line.

West Between Sec? 24. & 25. T. 3. S. R. 4. W.
 40. 00 Set half mile post from which a W. Oak 12. in? diam?
 bears S. 80. E. 34. lks. dist. & a B. Oak 10. in? diam? bears
 N. 65. W. 36. lks. dist.
 50. 00 Intersected N. & S. line at post Corner of Sec? 23. 24.
 25. & 26. This mile is broken land generally Oak timber

North Between Sec? 23. & 24. T. 3. S. R. 4. W.
 20. 00 A B. Oak 17. in? diam?
 30. 00 A Stream 12. lks wide Course East.
 40. 00 Set half mile post from which a Birch 10. in? diam?
 bears S. 15. E. 17. lks. dist. & a Birch 9. in? diam? bears
 N. 28. W. 10. lks. dist.
 47. 00 A Stream 10. lks. wide, Course E.
 50. 00 Set post Corner of Sec? 23. 24. 25. & 26. from which
 a W. Oak 20. in? diam? bears N. 30. E. 17. lks. dist. &
 a W. Oak 8. in? diam? bears S. 30. W. 26. lks. dist.
 This mile is broken land; Timber, Oak, Hickory &c.

West Between Sec? 23. & 26. T. 3. S. R. 4. W.
 40. 00 Set half mile post from which a B. Oak 10. in? diam?
 bears N. 37. E. 40. lks. dist. & a B. Oak 15. in? diam?
 bears S. 60. W. 50. lks. dist.
 50. 00 Intersected N. & S. line at post Corner of Sec? 22. 23.
 26. & 27. This mile is broken land; Oak timber.

North Between Sec? 22. & 23. T. 3. S. R. 4. W.
 40. 00 Set post in thicket of Ginseng grass. no timber to be found

80. 00	Get post corner of Sec? 14. 15. 22. & 23. on a barren plain covered with wild grass. no timber; thin soil.
West 40. 30	Between Sec? 22. & 27. T. 3. T. R. 4. W. Get half mile post from which a W. Oak 16. in. diam. bears S. 30. E. 80. lks. dist & 2. 8. in. diam. bears N. 26. E. 40. lks.
81. 00	Intersected N. & S. line at post corner of Sec? 21. 22. 27. & 28. — This mile is generally thickets of brush & briars, some Oak timber in spots.
North 40. 00	Between Sec? 21. & 22. T. 3. T. R. 4. W. Get post in thickets of brush & briars, no bearing trees to be found.
80. 00	Get post on high land, thin soil; no timber, covered with grass
West 40. 00	Between Sec? 21. & 25. T. 3. T. R. 4. W. Get half mile post from which a W. Oak 12. in. diam. bears N. 60. E. 60. lks. dist & a W. Oak 8. in. diam. bears N. 4. E. 50. lks. dist.
80. 00	Intersected N. & S. line at post corner of Sec? 20. 21. 28. 29. This mile is broken land; mostly thickets of brush & briars; thin soil;
North 40. 00	Between Sec? 20. & 21. T. 3. T. R. 4. W. Get half mile post in thickets of brush & briars, has to brush, no timber
80. 00	Get post in thickets of Hackle bushes; no timber, thin soil, level land.
Thursday Nov. 21 st 1864	
West 40. 00	Between Sec? 20. & 24. T. 3. T. R. 4. W. Get half mile post in thickets of Hackle bushes, no timber
80. 00	Intersected N. & S. line at post corner of Sec? 19. 20. 29. 30. This mile is generally barren land. Hackle bushes & briars. Spots of W. Oak. timber; level land; thin soil;
North 40. 00	Between Sec? 19. & 20. T. 3. T. R. 4. W. Get half mile post on barren land; wild grass; no timber.

T. 3. S. R. 4. W. 2nd Mer.

50. 00	Get post in thicket of Hazel bushes & briars. no timber in sight. This mile is level land; thin soil; covered with Hazel bushes & briars.
West	Between Sec? 18. & 19. T. 3. S. R. 4. W.
40. 00	Get half mile post from which a W. Oak 12. in? diam? bears S. 52. W. 42. lks. dist. & a Dogwood 6. in? diam? bears N. 45. E. 27. lks. dist.
79. 00	a Stream 50. lks. wide, course N.
54. 70	Intersected N. Range line 17. lks. N. of post Corner of Sec? 13. & 24. in Range. 5. Get post from which a Hickory 8. in? diam? bears S. 28. E. 48. lks. dist. & a Gypsophila 3. 6. in? diam? bears S. 69. W. 3. lks. dist. This mile is thin soil; thin Oak timber; a few & Hazel bush undergrowth.
East	Between Sec? 17. & 20. T. 3. S. R. 4. N. Random line.
80. 00	Intersected A. & G. line at post Corner of Sec? 16. 17. 20. & 21.
East	Between Sec? 16. & 21. T. 3. S. R. 4. N. Random line.
81. 00	Intersected A. & G. line 50. lks. S. of post Corner of Sec? 15. 16. 21. & 22.
East	Between Sec? 15. & 22. T. 3. S. R. 4. N. Random line.
79. 00	Intersected A. & G. line at post Corner of Sec? 14. 15. 22. & 23.
East	Between Sec? 14. & 23. T. 3. S. R. 4. N. Random line.
80. 40	Intersected A. & G. line 30. links N. of post Corner of Sec? 13. 14. 23. & 24.
East	Between Sec? 13. & 24. T. 3. S. R. 4. N. Random line.
80. 00	Intersected A. & G. line at post Corner of Sec? 13. and 24. on East Range line.
West	Between Sec? 13. & 24. T. 3. S. R. 4. W.

Friday Nov. 22. 1804.

T. N. 3. T. R. N. 4. W. 2. nd Mer.

21. 60 A Stream 10. links wide; Course S. 60. E.
 40. 00 Get half mile post from which a M. Oak 7. in? diam? bears
 S. 13. E. 13. lks. dist. & a M. Oak 10. in? diam? bears N. 25.
 W. 19. links dist.
 80. 00 Intersected N. & S. line at post Corner of Sec? 13. 14. 23. 24
 This mile is broken land; thin soil; Oak timber.

- North Between Sec? 13. & 14. T. 3. T. R. 4. W.
 10. 20 A Stream 6. lks. wide Course S. 60. E.
 40. 00 Get half mile post from which a M. Oak 12 in? diam? bears
 N. 30. E. 31. lks. dist. & a M. Oak 17. in? diam? bears S. 60. W. 20. lks.
 48. 80 A M. Oak 13. in? diam?
 80. 00 Get post Corner of Sec? 11. 12. 13. 14. from which a M. Oak
 20. in? diam? bears N. 20 W. 30. lks. dist. & a M. Oak 10. in?
 diam? bears S. 10. E. 10. lks. dist.
 This mile is good upland; M. Oak timber.

- West Between Sec? 14. & 23. T. 3. T. R. 4. W.
 40. 20 Get half mile post in thicket of brush & briars. no
 timber to be found.
 80. 40 Intersected N. & S. line at post Corner of Sec? 14. 15.
 22. & 23. First 20. chain? good upland; remainder of the
 mile thickets of briars and brush, no timber. Spots of wild grape.

- North Between Sec? 14. & 15. T. 3. T. R. 4. W.
 40. 00 Get half mile post in thickets of briars. no timber.
 Spots of wild grape.
 80. 00 Get post Corner of Sec? 10. 11. 14. 15. T. 3. T. R. 3. W. in
 barren hill. covered with wild grape; no timber to be found.
 thin soil.

- West Between Sec? 15. & 22. T. 3. T. R. 4. W.
 39. 50 Get half mile post on barren hill. no timber.
 79. 00 Intersected N. & S. line at post Corner of Sec? 15. 16. 21.
 22. This mile is broken land; thin soil; no timber;
 Grass & Hazle bushes.

T. 3. S. R. No 4. W. 20. nd Mer.

North	Between Sec? 15. & 16. T. 3. S. R. 4. W.
40. 00	Set post on barren land; no timber.
44. 60	Stream 16. fms. wide; Course, W.
50. 00	Set post Corner of Sec? 9. 10. 15. & 16. on barren land; no timber; This mile is generally thickets of Harts' bushes & briars.
West	Between Sec? 16. & 21. T. 3. S. R. 4. W.
40. 50	Set half mile post in thicket of brush & briars; no timber.
51. 00	Intersected N. & S. line at post Corner of Sec? 16. 17. 20. & 21. This mile is barren hills; thickets of brush & briars.
North	Between Sec? 16. & 17. T. 3. S. R. 4. W.
40. 00	Set half mile post in thickets of briars; no timber.
46. 00	A Stream 30. fms. wide; Course W.
50. 00	Set post Corner of Sec? 8. 9. 16. 17. T. 3. S. R. 4. W. in thickets of Harts' bushes; no timber in sight. Thin soil; Spots of wild grass.
West	Between Sec? 17. & 20. T. 3. S. R. 4. W.
40. 00	Set post in thicket of briars. no timber in sight.
50. 00	Intersected N. & S. line at post Corner of Sec? 17. 18. 19. 20. This mile is thickets of brush & briars; no timber; thin soil.
Thursday, Nov. 23. 18. 04	
North	Between Sec? 17. & 18. T. 3. S. R. No 4. W.
30. 00	A Stream 40. fms. wide; Course N. 40. W.
46. 00	Set half mile post from which a W. Oak 10. in? diam? bears N. 60. E. 16. fms. dist & a B. Oak 12. in? diam? bears S 71. W. 20. fms. dist
52. 30	& a W. Oak 12. in? diam?
50. 00	Set post Corner of Sec? 7. 8. 17. & 18. from which a B. Oak 22. in? diam? bears N. 65. E. 30. fms. dist & a B. Oak 10. in? diam? bears S. 50. W. 20. fms. dist.
	This mile is thin soil; Oak timber; some thickets of briars.
West	Between Sec? 7. & 18. T. 3. S. R. 4. W.

T. No 3. T. Co. No 4. W. 2nd Mer.

67

40 00 Set half mile post from which a B. Oak 15. in^d diam^r. bears N. 60. E. 30. lbs. dist^r & a Swamp Maple 8. in^d diam^r. bears S. 69. W. 18. lbs. dist.

78. 00 A Stream 50. lbs. wide; course N. 30. W.

85. 15 Intersecting N. Range line 40. lbs. N. of post Corner of Sec^s 7. & 18. in T. Co. 4. from which a Hickory 5. in^d diam^r bears S. 60. W. 7. lbs. dist^r & a W. Oak 7. in^d diam^r bears N. 85. E. 60. lbs. dist^r This mile is low land generally W. Oak timber

East Between Sec^s 8 & 17. T. 3. T. Co. 4. W. Random line.

80, 00 Intersecting N. & S. line at post Corner of Sec^s 8. 9. 16. & 17.

East Between Sec^s 9. & 16. T. 3. T. Co. 4. W. Random line.

80. 00 Intersecting N. & S. line 70. lbs. N. of post Corner of Sec^s 9. 10. 15. & 16.

East Between Sec^s 10. & 15. T. 3. T. Co. 4. W. Random line.

80, 00 Intersecting N. & S. line at post Corner of Sec^s 10. 11. 14. & 15.

East Between Sec^s 11. & 14. T. 3. T. Co. 4. W. Random line.

80. 00 Intersecting N. & S. line 50. lbs. N. of post Corner of Sec^s 11. 12. 13. & 14.

East Between Sec^s 12. & 13. T. 3. T. Co. 4. W. Random line.

80. 00 Intersected N. & S. line at post Corner of Sec^s 12. & 13. on East Range line.

Friday Nov. 24th. 1804.

West Between Sec^s 12. & 13. T. 3. T. Co. 4. W.

40. 00 Set half mile post from which a W. Oak 10. in^d diam^r. bears N. 10. E. 12. lbs. dist^r & a W. Oak 8 in^d diam^r bears S. 70. W. 30. lbs. dist.

80. 00 Intersecting N. & S. line at post Corner of Sec^s 11. 12. 13. & 14. This mile is broken land; thin soil; Oak timber.

North Between Sec^s 11. & 12. T. 3. T. Co. 4. W.

T. 3. S. R. 4. W. 2.nd Mer.

12. 60	A B. Oak 20. in? diam?
40. 00	Get half mile post from which a B. Oak 12. in? diam? bears N. 11. W. 36. lks. dist & a B. Oak 18 in? diam? bears S. 11. E. 16. lks. dist
80. 00	Get post Corner of Sec? 1. 2. 11. 12. from which a B. Oak 12. in? diam? bears N. 18. E. 28. lks. dist & a B. Oak 13. in? diam? bears S. 60. W. 39. lks. dist This mile is broken land; thin soil; Oak timber.
West	Between Sec? 11. & 14. T. 3. S. R. 4. W.
40. 00	Get half mile post from which a W. Oak 12. in? diam? bears N. 61. E. 10. lks. dist & a W. Oak 10. in? diam? bears S. 40. W. 13. lks. dist
80. 00	Intersected N. & S. line at post Corner of Sec? 10. 11. 13. & 14. This mile is broken land; thin soil; Oak timber.
North	Between Sec? 10. & 11. T. 3. S. R. 4. W.
10. 00	A B. Oak 16. in? diam?
13. 50	A Stream 10. links wide, course S. 70. W.
40. 00	Get half Sec. post from which a W. Oak 12 in? diam? bears N. 30. E. 40. lks. dist & a W. Oak 15. in? diam? bears S. 44. W. 60. lks. dist
80. 00	Get post Corner of Sec? 2. 3. 10. 11. from which a W. Oak 12. in? diam? bears N. 60. E. 11. lks. dist & a W. Oak 8 in? diam? bears S. 50. W. 8. lks. dist This mile is broken land; thin soil; Oak timber.
West	Between Sec? 10. & 15. T. 3. S. R. 4. W.
40. 00	Get half mile post from which a W. Oak 16 in? diam bears N. 24. W. 29. lks. dist & a poplar 20. in? diam? bears S. 20. E. 42. lks. dist
80. 00	Intersected N. & S. line at post Corner of Sec? 9. 10. 15. 16. — This mile is broken land thin soil; some Oak timber; generally thickets of brush & briars.

Saturday, Nov. 25, 1864.

17th Between Sec? 9. & 16. T. 3. S. R. 4. W.
 26. 66 A Stream 15. links wide; Course N.
 35. 36 A W. Oak 12. in? diam?
 41. 66 Get half mile post from which a W. Oak 11. in? diam?
 bears N. 54. W. 11. links dist? & a Hickory 7 in? diam?
 bears S. 71. E. 8. links dist
 56. 66 Get mile post Corner of Sec? 3. 4. 9. 16. from which a
 W. Oak 26. in? diam? bears N. 6. E. 66. links dist? & a W.
 Oak 10. in? diam? bears S. 21. W. 40. links dist
 This mile is broken land; thin soil; first 30. chain?
 thickets of briars, no timber, last 50. Oak timber.

West Between Sec? 9. & 16. T. 3. S. R. 4. W.
 46. 00 Get half mile post from which a W. Oak 30. in? diam?
 bears N. 63. E. 24. links dist? & a Gum 24. in? diam? bears
 S. 30. W. 3. links dist
 43. 66 A Stream 8. links wide; Course N. 40. W.
 56. 66 Intersected N. & S. line at post Corner of Sec? 8. 9. 16
 17. This mile is broken land; generally barren, no
 timber; 5. chain? good land; Oak timber on creek;

North Between Sec? 8. & 9. T. 3. S. R. 4. W.
 46. 00 Get half mile post from which a Hickory 11. in? diam?
 bears N. 55. E. 34. links dist? & a L. 20. in? diam? bears
 N. 33. W. 14. links dist.
 56. 00 A Stream 20. links wide; Course N.
 56. 66 Get post Corner of Sec? 8. 9. 4. 5. from which a W. Oak
 30. in? diam? bears N. 24. W. 19. links dist? & a Hickory
 12. in? diam? bears S. 50. E. 8. links dist
 This mile broken land; thin soil; Oak timber;

West Between Sec? 8. and 17. T. 3. S. R. 4. W.
 46. 66 Get post from which a Gum 16. in? diam? bears N. 17. W.
 4. links dist? & a W. Oak 12. in? diam? bears S. 34. E. 12. links dist?
 116. 30 A Stream 16. links wide; Course N. 45. W.
 56. 66 Intersected N. & S. line at post Corner of Sec? 7. 8. 17. & 18.

T. 3. S. R. 4. W. 2.nd Mer.

	This mile is broken land thin soil; Oak timber.
North	Between Sec? 7 & 8. T. 3. S. R. 4. W.
40. 00	Get half mile post from which a W. Oak 12. in? diam? bears S 34. E. 12. lks. dist. & a Gum 10. in? diam? bears N. 17. W. 4. lks. dist.
75. 00	Stream 20. lks wide; course W.
86. 00	Get post corner of Sec? 5. 6. 7. & 8. from which a W. Oak 10. in? diam? bears S. 72. W. 30. lks. dist. & a W. Oak 14 in? diam? bears N. 86. E. 29. lks. dist. Thin soil; scrubby Oak timber.
West	Between Sec? 6. & 7. T. 3. S. R. 4. W.
40. 00	Get post from which a B. Oak 24 in? diam? bears N. 20. W. 36 lks. dist. & a Hickory 10. in? diam? bears S 69. E. 9. lks. dist.
84. 00	Intersected N. Range line 50. lks. N. of post corner of Sec? 1. & 12. in Range 5. Get post corner of Sec? 6 & 7. from which a W. Oak 36. in? diam? bears S. 40. W. 60. lks. dist. & a Gum 10. in? diam? bears N. 17. W. 58. lks. dist. Broken land; thin soil; Oak timber.
East	Between Sec? 5 & 8. T. 3. S. R. 4. W. Random line.
86. 00	Intersected N. & G. line at post corner of Sec? 4. 5. 8. & 9.
East	Between Sec? 4 & 9. T. 3. S. R. 4. W. Random line.
80. 00	Intersected N. & G. line 50. lks. S. of post corner of Sec? 3. 4. 9. & 10.
	Sunday Nov. 26. 18. 04.
East	Between Sec? 3 & 10. T. 3. S. R. 4. W. Random line.
80. 00	Intersected N. & G. line 60. lks. South of post corner of Sec? 2. 3. 10. 11.
East	Between Sec? 2 & 11. T. 3. S. R. 4. W. Random line.
80. 00	Intersected N. & G. line at post corner of Sec? 1 & 12. E. R. line.

West Between Sec? 1 & 12. T. 3. S. R. N. 4. W.
 40. 00 Set post from which a W. Oak 8. in? diam? bears N. 30. E.
 13. lks. dist? & a W. Oak 12. in? diam? bears S. 60. W. 20. lks. dist.
 80. 00 Intersects N. & S. line at post Corner of Sec? 1. d. 11. & 12.
 This mile is broken land; Oak timber

North Between Sec? 1. & 2. T. 3. S. R. N. 4. W.
 20. 00 A W. Oak 16. in? diam?
 40. 00 Set half mile post from which a W. Oak 12. in? diam?
 bears N. 10. W. 30. lks. dist? & a B. Oak 10. in? diam? bears
 S. 40. E. 42. lks. dist.
 80. 00 Intersects Town line 10. lks. W. of post Corner of Sec? 3 & 5.
 & 36. from which a W. Oak 10. in? diam? bears N. 30.
 E. 10. lks. dist? & a W. Oak 16. in? diam? bears S. 60. W.
 40. lks. dist. This mile is broken land; thin soil; Oak timber

West Between Sec? 2. and 11. T. 3. S. R. N. 4. W.
 40. 00 Set half mile post from which a B. Oak 17. in? diam?
 bears S. 30. E. 32. lks. dist? & a B. Oak 20. in? diam? bears
 N. 40. W. 40. lks. dist?
 80. 00 Intersects N. & S. line at post Corner of Sec? 2. 3. 10. 11.
 Broken land; thin soil; Oak timber.

North Between Sec? 2. & 3. T. 3. S. R. N. 4. W.
 10. 00 A Stream 12. links wide; course S. 40. W.
 40. 00 Set half mile post from which a W. Oak 17. in? diam?
 bears N. 33. E. 40. lks. dist? & a W. Oak 10. in? diam?
 bears S. 60. W. 10. lks. dist.
 80. 00 Intersects Town line 30. lks. West of post Corner of Sec?
 34 & 35. in Town 2. Set post from which a W. Oak 16.
 in? diam? bears N. 36. E. 70. lks. dist? & a W. Oak 10. in?
 diam? bears S. 40. W. 10. lks. dist?
 Broken land; thin soil; Oak timber;

West Between Sec? 3. & 10. T. 3. S. R. N. 4. W.
 40. 00 Set half mile post from which a W. Oak 10. in? diam?

J. B. G. Co. No. 4. W. 2nd Mer

	<p>bears S. 60. E. 16. lks. dist. & a B. Oak 15. in. diam. bears N. 30. W. 32. lks. dist.</p>
47. 60	A Stream 12. lks. wide; course S. 45. W.
50, 10	Intersected N. & S. line at post Corner of Sec. 3. & 4. S. & 10. Broken land; thin soil; Oak timber.
Monday Nov. 27 th 1804.	
North	Between Sec. 3. & 4. T. 3. S. R. 4. W.
40. 00	Set half mile post from which a B. Oak 10. in. diam. bears N. 28. E. 18. lks. dist. & a B. Oak 16. in. diam. bears S. 30. W. 19. lks. dist.
52. 00	Intersected Town line 15. lks. W. of post Corner of Sec. 33. & 34. in Town 2. Set post from which a W. Oak 15. in. diam. bears N. 62. E. 54. lks. dist. & a W. Oak 10. in. diam. bears S. 30. W. 28. lks. dist. This mile is broken land. Oak timber; thin soil.
West	Between Sec. 4. and 9. T. 3. S. R. 4. W.
40. 00	Set half mile post from which a W. Oak 12. in. diam. bears S. 30. E. 13. lks. dist. & a W. Oak 10. in. diam. bears N. 40. W. 40. lks. dist.
53, 40	A Stream 10. lks. wide; course S.
50, 10	Intersected N. & S. line at post Corner of Sec. 4. 5 & 9. (Broken land; thin soil; Oak timber;
North	Between Sec. 4. and 5. T. 3. S. R. 4. W.
16. 70	A B. Oak 20. in. diam.
40. 00	Set half mile post from which a B. Oak 12. in. diam. bears S. 40. E. 42. lks. dist. & a B. Oak 16. in. diam. bears N. 60. W. 50. lks. dist.
50. 80	Intersected Town line at post Corner of Sec. 32. & 33. in Town 2. from which a B. Oak 15. in. diam. bears N. 5. E. 16. lks. dist. & a B. Oak 16. in. diam. bears S. 16. W. 18. lks. dist. This mile broken land; thin soil; Oak timber
West	Between Sec. 5. and 8. T. 3. S. R. 4. W.

40. 00	Get post from which a B. Oak 12. in? diam? bears N. 32. E. 23. 1/2 hrs. dist? & a B. Oak 8. in? diam? bears S. 22. W. 16. 1/2 hrs. dist?
50. 00	Intersected N. & S. line at post Corner of Gre? 5. 6. 7. & 8. This mile broken land; Oak timber; thin soil;
North	Between Gre? 5 and 6. T. 3. S. R. 4. W.
40. 00	Get half mile post from which a B. Oak 12 in? diam? bears S. 60. E. 16. 1/2 hrs. dist? & a B. Oak 8. in? diam? bears N. 46. W. 40. 1/2 hrs. dist.
50. 00	Intersected Town line 8. 1/2 hrs. W. of post Corner of Gre? 31. & 32. in Town 2. from which a B. Oak 12. in? diam? bears N. 40. E. 40. 1/2 hrs. dist? & a W. Oak 10. in? diam? bears S. 50. W. 10. 1/2 hrs. dist? This mile broken land; thin soil; Oak timber
West	Get half mile post N. side of Gre 6. in Town 3. where a W. Oak 12. in? diam? bears N. 32. E. 32. 1/2 hrs. dist? & a B. Oak 10. in? diam? bears S. 80. W. 15. 1/2 hrs. dist?
East	Get half mile post N. side of Gre. 5. in T. 3. from which a B. Oak 18. in? diam? bears N. 28. E. 8. 1/2 hrs. dist? & a B. Oak 10. in? diam? bears S. 38. W. 30. 1/2 hrs. dist?
East	Get half mile post N. side of Gre 4. in Town 3. from which a B. Oak 10. in? diam? bears N. 30. E. 20. 1/2 hrs. dist? & a W. Oak 12. in? diam? bears S. 27. W. 10. 1/2 hrs. dist?
East	Get half mile post N. side of Gre 3. in Town 3. R. 4. S. from which a W. Oak 18. in? diam? bears N. 76. W. 30. 1/2 hrs. dist?
East	Get half mile post N. side of Gre 2. in T. 3. R. 4. S. from which a B. Oak 16. in? diam? bears N. 81. E. 66. 1/2 hrs. dist? & a W. Oak 10. in? diam? bears S. 10. W. 13. 1/2 hrs. dist?
East	Get half mile post N. side of Gre 1. in T. 3. R. 4. S. from which a W. Oak 14. in? diam? bears N. 38. E. 19. 1/2 hrs. & 12. in? bears S. 40. W. 26. 1/2 hrs. dist.

Surveyed by Nelson Burt.

T3S R4W.2. Mer. Indiana

I certify, that the foregoing transcript of the field notes of Township No 3 South of Range No 4 West of the 2nd mer. Indiana, has been compared with the Original notes in this Office & found to be correct.

Surveyor General's Office.

Cincinnati, Aug 10. 1839

E. S. Raines
 Surveyor General

South On N. boundary of Sec 6. T3S. R4W
 21.00 a Branch of Patoka 50 lks. wide standing water
 Course N.W.

40.00 Set the q. Sec. post, from which
 a P. Oak 15 in. dia. bears S44W 17 lks. dist. &
 a Maple 12 " " " S86E 64 " "
 Low land Oak, Maple, Gum &c.

56.50 bed of a run 5 lks. wide Course East

63.25 to Patoka 50 lks. wide Course N.E. standing water

70.00 to Do 50 lks. " " N.W.

71.66 to Do — " " N.E.

74.28 to Do — " " N.W.

80.00 Set a post (in the middle of the same Creek
 Course N.W.) cor. to Sec. 6 & 7, from which
 a W. Oak 60 in. dia. bears East 46 lks. dist. &
 an Elm 36 " " " N64W 74 " "
 Flat land, timber Maple, Oak &c.

"I lost the needle of my compass here and
 was obliged to desist." Sunday Oct. 27th 1804